

SLEEK series

SLEEK-15

15" industrial display with touch screen

Features:

- 15" TFT LCD Resistive touch window, projected capacitive touch
- Aluminum die casting enclosure
- Front bezel NEMA4/IP65 rating
- Rear side OSD
- Wide Range Power Input DC 9~36V

Specifications:

| IO Port | |
|-------------------------------|--|
| VGA | 1 |
| DVI | 1 |
| HDMI | None |
| DP | None |
| S_Video | None |
| OSD Control Membrane | 5 keys |
| Others | USB interface for touch, RS-232 is optional. 1 x optional tack switch for VGA/DVI switching 1 x Line in by phone jack for option |
| Power | 3 pins terminal block |
| Display | |
| Display type | 15" TFT LCD |
| Max. resolution | 1024 x 768 |
| Max. color | 16.2M |
| Luminance(cd/m ²) | 350 |
| Viewangle(H°/V°) | 160/145 |
| Contrast | 800:1 |
| Backlight lifetime(hrs) | 50000 |
| Touch Screen(Optional) | |
| Type | Resistive touch window, optional projected capacitive touch |
| Interface | USB/RS-232 for Resistive touch, USB for projected capacitive touch |
| Light transmission(%) | 80% for resistive touch , 90% for projected capacitive touch |



| Power | |
|---------------------------|--|
| Power input | 9~36V DC |
| Mechanical | |
| Construction | Aluminum Die-casting chassis |
| IP rating | IP65 front bezel |
| Mounting | Panel mounting, VESA 100 x 100 |
| Dimension(mm) | 410 x 310 x 55 |
| Net weight(Kgs) | 4.3 |
| Environment | |
| Operating temperature(°C) | 0~50°C |
| Storage temperature(°C) | -20~60°C |
| Storage humidity | 10 to 90% @40°C Non-condensing, without touch screen |
| Certification | CE/FCC Class A |

Ordering Information:

| Order No | Description |
|----------|--|
| Sleek-15 | 15" Industrial Die-cast Display with Touchscreen |




Kessler-Ellis Products

10 Industrial Way East • Eatontown, NJ 07724

Phone: (732) 935-1320 or (800) 631-2165 • Fax: (732) 935-9344

www.kep.com

Dimensions:



Kessler-Ellis Products

10 Industrial Way East • Eatontown, NJ 07724

Phone: (732) 935-1320 or (800) 631-2165 • Fax: (732) 935-9344

www.kep.com